Table 2. The 32 wildlife-habitat types as determined from the cluster analysis procedure using 541 native breeding species and 119 Pacific Northwest vegetation, land use, and marine groupings.

Wildlife-HabitatTypes

Vegetative/Land Use/Marine Groupings Westside Lowland Conifer-Hardwood Forest Alnus rubra-Acer macrophyllum Upland Forests Picea sitchensis-Tsuga heterophylla Forests Pseudotsuga menziesii-Alnus rubra-Acer macrophyllus Forests Maritime Tsuga heterophylla-Thuja plicata Forests Forested Dunes

Westside Oak and Dry Douglas-fir Forest and Woodlands

Westside Quercus garryana Forests and Woodlands Westside Quercus garryana-Pseudotsuga menziesii Forests Westside Dry Pseudotsuga menziesii Forests Pseudotsuga menziesii-Arbutus menziesii Forests

Southwest Oregon Mixed Conifer-Hardwood Forest

Abies concolor Mixed Conifer Forests Pinus jeffreii Woodlands Pseudotsuga menziesii-Lithocarpus densiflorus Forests Southwest Oregon Low Elevation Mixed Conifer Forests

Montane Mixed Conifer Forest

Abies amabilis-Tsuga heterophylla Forests Abies lasiocarpa-Picea englemannii Forests Abies magnifica var. shastensis Forests and Woodlands Tsuga mertensiana Forests Tsuga mertensiana-Abies amabilis Forests

Eastside (Interior) Mixed Conifer Forest

Eastside Abies grandis-Pseudotsuga menziesii Forests Eastside Pseudotsuga menziesii-Pinus ponderosa Forests Eastside Tsuga heterophylla-Thuja plicata Forests

Lodgepole Pine Forest and Woodlands

Pinus contorta Grass understory Pinus contorta Shrub understory Pinus contorta Subalpine Forests Pinus contorta Woodlands and Forests on Pumice Wildlife-HabitatTypes Vegetative/Land Use/Marine Groupings

Ponderosa Pine Forest and Woodlands

Pinus ponderosa Woodlands Eastside Pinus ponderosa-Quercus garryana Forest and Woodlands Eastside Quercus garryana Woodlands

Upland Aspen Forest Populus tremuloides Upland Forests

Subalpine Parklands

Subapline and Alpine Wetlands Pinus albicaulis-Abies lasiocarpa Woodlands and Parklands Tsuga mertensiana Parklands

Alpine Grasslands and Shrublands Subalpine and Alpine Grasslands Alpine Dwarf Shrublands-Fellfields and Sedge Turf

Westside Grasslands

Westside Festuca idahoensis var. romeri-Danthonia californica

Ceanothus-Manzanita Shrublands Chaparral

Western Juniper and Mountain Mahogany Woodlands

Juniperus occidentalis Scablands Juniperus occidentalis-Artemisia tridentata Tall Shrublands Juniperus occidentalis/Bunchgrass Cercocarpus ledifolius

Eastside (Interior) Canyon Shrublands Eastside Moist Deciduous Shrublands

Eastside (Interior) Grasslands

Pseudoroegneria spicata Grasslands Eastside Low-to-Mid-elevation Festuca idahoensis Grasslands Eastside Modified Grasslands Sporobolus cryptandrus-Aristida puppurea var. longiseta Grasslands

Shrub-steppe

Artemisia tripartita Shrub-steppe Artemisia cana Shrub-steppe Artemisia tridentata ssp. tridentata and ssp.wyomingensis Shrubsteppe Artemisia tridentata ssp. vaseyana Shrublands Purshia tridentata Shrub-steppe Sandy steppe and Shrub-steppe

Dwarf Shrub-steppe

Artemisia rigida/Ēriogonum spp./Poa secunda Dwarf-Shrub Scabland Artemisia arbuscula Dwarf-Shrub-steppe Artemisia nova Dwarf-Shrublands

Desert Playa and Salt Scrub

Alkali Grasslands and Wetlands Atriplex confertifolia Shrublands Mixed Saltdesert Shrub-Non-Playa Mixed Saltdesert Shrub-Playa Sarcobatus vermiculatus Shrublands

Agriculture, Pasture, and Mixed Environs*

Cultivated Croplands Improved Pasture Modified Grasslands Orchard/Vineyard/Nursery Unimproved Pasture

Urban and Mixed Environs* High Density Moderate Density Low Density

Open Water-Lakes, Rivers, Streams Riverine Lacustrine -Open Water

Herbaceous Wetlands

Graminoid Wet Meadow Freshwater Aquatic Beds Herbaceous and Sedge Wetlands

Westside Riparian - Wetlands

Alnus viridis ssp. sinuata-Acer circinatum Shrublands Westside Riparian and Wetland Deciduous Forests Picea sitchensis Wetland Forests and Woodlands Tsuga heterophylla-Thuja plicata coniferous wetlands Westside Riparian/Wetland Shrublands Shrub/herbaceous Sphagnum Bogs Wooded Bogs

Montane Coniferous Wetlands

Westside Montane Coniferous Wetlands Picea engelmannii Forested Wetlands

Eastside (Interior) Riparian - Wetlands

Eastside Midmontane Alnus incana-Salix spp. Riparian Shrublands Eastside Lowland Riparian Shrublands Eastside Populus balsamifera spp. trichocarpa Alnus rhombifolia Riparian Wildlife-HabitatTypes Vegetative/Land Use/Marine Groupings Pinus ponderosa Riparian Woodlands Populus tremuloides Riparian/Wetland Forests and Woodlands

Coastal Dunes and Beaches

Coastal Dune Grasslands Coastal Dune Shrublands

Coastal Headlands and Islets

Coastal Headland Shrublands and Grasslands

Bays and Estuaries*

Bays and Estuaries (includes Intertidal Marshes)

Inland Marine Deeper Waters*

Puget Sound to Strait of Juan de Fuca

Marine Nearshore*

Marine environment from shore line to 20 m depth

Marine Shelf* Marine environment from 20 m to 200 m depth

Oceanic*

Marine environment greater than 200 m depth *Wildlife-habitats that were determined by an expert panel process rather than through the cluster analysis effort.